



First Time Febrile Seizures EBG
 © Amir Kimia, MD & Ann Lucitt, RN
 Emergency Department, Boston Children's Hospital
 June 4, 2013

Boston Children's Hospital

Inclusion criteria

- Age 6m-5y & Temperature at any time >38c or >100.4f
- Duration under 15 min
- Generalized seizure
- Single episode – (A cluster of two seizures, seconds to minutes apart is the exception; up to 2 seizures, up to 30 minutes apart)

Exclusion criteria

- Structural brain abnormality or prior seizures (febrile or not)
- Ingestions/ trauma/ malignancy
- Neurologic work up for delay/ seizures/ macrocephaly
- Focality includes lateral eye deviation, head rotated to one side and/or Todd's paresis
- Pre-treated with anti-biotics

General Comments:

- Routine
- LP
 - Blood work
 - Imaging
 - Neurology consult
- are not recommended.

Home Diastat is not recommended after first time simple febrile seizure

1. Discharge Criteria:

- The child is back to baseline as identified by the parents
- Neuro exam is reassuring
- Temperature is <38.5c

2. Reassuring Exam:

- Non-focal
- Alert
- Clearing from post-ictal state

3. Hib/Pneumococcal:

At least 1-2 weeks past immunization.

